




PEACHTREE[®]
DOORS AND WINDOWS

Prado[™] *Patio Doors*


REPLACEMENT PARTS CATALOG



Swinger Single Panel Units.....	2
Swinger 2-Panel Units	4
Swinger 3-Panel Units	6
French Units	8
Slider Units.....	10
Sliding Screens	12
Swinging Screens	13
Duo-Clad [™] Frame Option	14
Swinger & Slider Hardware.....	15
Unit Sizes.....	Back Cover

Notice: The replacement parts shown herein are for the Peachtree Prado[™] Patio Doors, part of the Image[™] Series. The Prado patio door can be identified by its wood frame and steel insulated panels. Prado patio doors with the Duo-Clad[™] option have a vinyl-wrapped wood frame with aluminum trim and vinyl laminated steel panels. These patio doors use wood exterior brickmould and 3/4" Low-E insulated glass. When ordering replacement glass, please determine existing manufacture date from manufacturer date label inside glass before discarding.

Prado™ Patio Doors Single Panel Unit



– Swing-In unit shown, Fixed similar (see chart at right for Fixed components).

Prado™ Patio Doors Single Panel Unit

Part Description		Part Number	Comments
1	2'6 Swing-In Push In Bottom Sweep	PRBS	
1	2'9 Swing-In Push In Bottom Sweep	PRBS	
1	3'0 Swing-In Push In Bottom Sweep	PRBS	
1	2'6 Swing-Out Push In Bottom Sweep	PRBS	
1	2'9 Swing-Out Push In Bottom Sweep	PRBS	
1	3'0 Swing-Out Push In Bottom Sweep	PRBS	
2	Swing-In Hinge Kit	RPH	Kit includes one hinge with screws. Yellow Zinc (YC2) finish
2	Swing-Out Hinge Kit	RPH	Kit includes one hinge with screws. Grey finish
2	Swing-Out Security Hinge Kit	RPH	Kit includes one hinge with screws. Grey finish
3	Hinge Screw	RPHS	#12 x 1" w/#10 Flat Head, Phillips, Self Tapping
4	.375 x .500 Foamseal	PRFS	Black, pre-cut
5	6'8 Jamb Weatherstrip	PRWS	Black C-fold type
6	2'6 Head Weatherstrip	PRWS	Black C-fold type
6	2'9 Head Weatherstrip	PRWS	Black C-fold type
6	3'0 Head Weatherstrip	PRWS	Black C-fold type
7	2'6 Aluminum Sill Closure	RPSISC	Mill finish
7	2'9 Aluminum Sill Closure	RPSISC	Mill finish
7	3'0 Aluminum Sill Closure	RPSISC	Mill finish
8	2'6 Adjustable Oak Threshold	PRT	
8	2'9 Adjustable Oak Threshold	PRT	
8	3'0 Adjustable Oak Threshold	PRT	
8	2'6 Fixed Threshold	PRT	
8	2'9 Fixed Threshold	PRT	
8	3'0 Fixed Threshold	PRT	
9	2'6 x 6'8 Active Panel	PRP	Specify handing, bore, and glass type
9	2'9 x 6'8 Active Panel	PRP	Specify handing, bore, and glass type
9	3'0 x 6'8 Active Panel	PRP	Specify handing, bore, and glass type
9	2'6 x 6'8 Fixed Panel	PRP	Specify glass type
9	2'9 x 6'8 Fixed Panel	PRP	Specify glass type
9	3'0 x 6'8 Fixed Panel	PRP	Specify glass type
10	Latch Trim Plate	PRLTP	50/package. Dark oak finish
11	Strike Reinforcing Plate	PRSP	
12	Strike Reinforcing Plate Screw	PRSPS	#10-16 x 2-1/2" Flat Head, Phillips, Self Tapping


NOTES: - Unit sizes given are nominal. See back cover to determine your unit size.
 - Standard size/type screws can be purchased from your local hardware store.
 - See page 14 for frame components not shown.
 - See page 15 for hardware components not shown.

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type. **IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR DOOR, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.**

CT = Twinsul Clear, Tempered	CTE = Clear Tempered Low-E Glass
CTO = Obsure Clear, Tempered	CTOE = Obsure Clear Tempered Low-E Glass
BT = Twinsul Bronze Tint Tempered	BTE = Bronze Tempered Low-E Glass
GT = Grey Tint, Tempered	GTE = Grey Tempered Low-E Glass
TGT = Turtle Glass, Tempered	

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.

Prado™ Patio Doors 2-Panel Unit



– Swing-In unit shown, Swing-Out similar (see chart at right for Swing-Out components).

Prado™ Patio Doors 2-Panel Unit

	Part Description	Part Number	Comments
1	2'6" Swing-In Push In Bottom Sweep	PRBS	
1	3'0" Swing-In Push In Bottom Sweep	PRBS	
1	2'6" Swing-Out Push In Bottom Sweep	PRBS	
1	3'0" Swing-Out Push In Bottom Sweep	PRBS	
2	Swing-In Hinge	RPH	Kit includes one hinge with screws. Yellow Zinc (YC2) finish
2	Swing-Out Hinge	RPH	Kit includes one hinge with screws. Grey finish
3	Hinge Screw	RPHS	#12 x 1" w/#10 Flat Head, Phillips, Self Tapping
4	.375 x .500 Foamseal	PRFS	Black, pre-cut
5	6'8" Jamb Weatherstrip	PRWS	Black C-fold type
6	2'6" Head Weatherstrip	PRWS	For 5'0" wide units, black C-fold type
6	3'0" Head Weatherstrip	PRWS	For 6'0" wide units, black C-fold type
7	2'6" Aluminum Sill Closure	RPSISC	For 5'0" wide units, mill finish
7	3'0" Aluminum Sill Closure	RPSISC	For 6'0" wide units, mill finish
8	2'6" Swing-In Adjustable Oak Threshold	PRT	For 5'0" wide units
8	3'0" Swing-In Adjustable Oak Threshold	PRT	For 6'0" wide units
8	2'6" Swing-Out Oak Threshold	PRT	For 5'0" wide units
8	3'0" Swing-Out Oak Threshold	PRT	For 6'0" wide units
9	2'6" x 6'8" Active Panel	PRP	For 5'0" wide units. Specify handing, bore, and glass type
9	3'0" x 6'8" Active Panel	PRP	For 6'0" wide units. Specify handing, bore, and glass type
9	2'6" x 6'8" Fixed Panel	PRP	For 5'0" wide units. Specify glass type
9	3'0" x 6'8" Fixed Panel	PRP	For 6'0" wide units. Specify glass type
10	Latch Trim Plate	PRLTP	50/package. Dark oak finish
11	Strike Reinforcing Plate	PRSP	
12	Strike Reinforcing Plate Screw	PRSPS	#10-16 x 2-1/2" Flat Head, Phillips, Self Tapping


- NOTES:
- Unit sizes given are nominal. See back cover to determine your unit size.
 - Standard size/type screws can be purchased from your local hardware store.
 - See page 14 for frame components not shown.
 - See page 15 for hardware components not shown.

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type. **IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR DOOR, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.**

CT = Twinsul Clear, Tempered	CTE = Clear Tempered Low-E Glass
CTO = Obsure Clear, Tempered	CTOE = Obsure Clear Tempered Low-E Glass
BT = Twinsul Bronze Tint Tempered	BTE = Bronze Tempered Low-E Glass
GT = Grey Tint, Tempered	GTE = Grey Tempered Low-E Glass
TGT = Turtle Glass, Tempered	

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.

Prado™ Patio Doors 3-Panel Unit



- 3-Panel Center Unit shown, 3-Panel End-Swing similar.

Prado™ Patio Doors 3-Panel Unit

Part Description		Part Number	Comments
1	2'9 Push In Bottom Sweep	PRBS	For 8'0 and 8'2 wide units
1	3'0 Push In Bottom Sweep	PRBS	For 8'9 and 8'11 wide units
2	Hinge	RPH	
3	Hinge Screw	RPHS	#12 x 1" w/#10 Flat Head, Phillips, Self Tapping
4	.375 x .500 Foamseal	PRFS	Black, pre-cut
5	6'8 Jamb Weatherstrip	PRWS	Black C-fold type
6	2'9 Head Weatherstrip	PRWS	For 8'0 and 8'2 wide units, black C-fold type
6	3'0 Head Weatherstrip	PRWS	For 8'9 and 8'11 wide units, black C-fold type
7	2'9 Aluminum Sill Closure	RPSISC	For 8'0 and 8'2 wide units, mill finish
7	3'0 Aluminum Sill Closure	RPSISC	For 8'9 and 8'11 wide units, mill finish
8	2'9 Adjustable Oak Threshold	PRT	For 8'0 and 8'2 wide units
8	3'0 Adjustable Oak Threshold	PRT	For 8'9 and 8'11 wide units
9	2'9 x 6'8 Active Panel	PRP	For 8'0 and 8'2 wide units. Specify handing, bore, and glass type
9	3'0 x 6'8 Active Panel	PRP	For 8'9 and 8'11 wide units. Specify handing, bore, and glass type
9	2'9 x 6'8 Fixed Panel	PRP	For 8'0 and 8'2 wide units. Specify glass type
9	3'0 x 6'8 Fixed Panel	PRP	For 8'9 and 8'11 wide units. Specify glass type
10	Latch Trim Plate	PRLTP	50/package. Dark oak finish
11	Strike Reinforcing Plate	PRSP	
12	Strike Reinforcing Plate Screw	PRSPS	#10-16 x 2-1/2" Flat Head, Phillips, Self Tapping


NOTES: - Unit sizes given are nominal. See back cover to determine your unit size.
 - Standard size/type screws can be purchased from your local hardware store.
 - See page 14 for frame components not shown.
 - See page 15 for hardware components not shown.

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type. **IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR DOOR, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.**

CT = Twinsul Clear, Tempered	CTE = Clear Tempered Low-E Glass
CTO = Obsure Clear, Tempered	CTOE = Obsure Clear Tempered Low-E Glass
BT = Twinsul Bronze Tint Tempered	BTE = Bronze Tempered Low-E Glass
GT = Grey Tint, Tempered	GTE = Grey Tempered Low-E Glass
TGT = Turtle Glass, Tempered	

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.

Prado™ Patio Doors French Unit



Swing-In unit shown, Swing-Out similar (see chart at right for Swing-Out components).

Prado™ Patio Doors French Unit

Part Description		Part Number	Comments
1	2'6" Swing-In Push In Bottom Sweep	PRBS	
1	3'0" Swing-In Push In Bottom Sweep	PRBS	
1	2'6" Swing-Out Push In Bottom Sweep	PRBS	
1	3'0" Swing-Out Push In Bottom Sweep	PRBS	
2	Swing-In Hinge	RPH	
2	Swing-Out Hinge	RPH	
3	Hinge Screw	RPHS	#12 x 1" w/#10 Flat Head, Phillips, Self Tapping
4	6'8" Jamb Weatherstrip	PRWS	Black C-fold type
5	5'0" Head Weatherstrip	PRWS	For 5'0" wide units, black C-fold type
5	6'0" Head Weatherstrip	PRWS	For 6'0" wide units, black C-fold type
7	5'0" Aluminum Sill Closure	RPSISC	Mill finish
7	6'0" Aluminum Sill Closure	RPSISC	Mill finish
8	5'0" Swing-In Adjustable Oak Threshold	PRT	For 5'0" wide units
8	6'0" Swing-In Adjustable Oak Threshold	PRT	For 6'0" wide units
8	5'0" Swing-Out Oak Threshold	PRT	For 5'0" wide units
8	6'0" Swing-Out Oak Threshold	PRT	For 6'0" wide units
9	2'6" x 6'8" Passive Panel	PRP	For 5'0" wide units. Specify handing, and glass type
9	3'0" x 6'8" Passive Panel	PRP	For 6'0" wide units. Specify handing, and glass type
10	2'6" x 6'8" Active Panel	PRP	For 5'0" wide units. Specify handing, bore, and glass type
10	3'0" x 6'8" Active Panel	PRP	For 6'0" wide units. Specify handing, bore, and glass type
11	Flip Lever Lock	RFL	
12	Flip Lever Lock Cover	RFLC	
13	Flip Lever Lock Cover Screw	RFLCS	#8-15 x 3/4" Flat Head, Phillips, Self Tapping, Brass Plated
13	Head/Sill Strike Plate Swing-In	RSPSI	
14	Passive Panel Bolt Retainer	37400151	#8-18 x 3/4" Flat Head, Phillips, Self Tapping, Brass Plated


NOTES: - Unit sizes given are nominal. See back cover to determine your unit size.
 - Standard size/type screws can be purchased from your local hardware store.
 - See page 14 for frame components not shown.
 - See page 15 for hardware components not shown.

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type. **IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR DOOR, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.**

CT = Twinsul Clear, Tempered	CTE = Clear Tempered Low-E Glass
CTO = Obsure Clear, Tempered	CTOE = Obsure Clear Tempered Low-E Glass
BT = Twinsul Bronze Tint Tempered	BTE = Bronze Tempered Low-E Glass
GT = Grey Tint, Tempered	GTE = Grey Tempered Low-E Glass
TGT = Turtle Glass, Tempered	

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.

Prado™ Patio Doors Slider Unit



- See Page 15 for hardware components not shown.
See Page 14 for frame components not shown.

Prado™ Patio Doors Slider Unit

Part Description		Part Number	Comments
1	2'6 Push In Bottom Rail Extension	PRBS	For 5'0 Wide Units
1	3'0 Push In Bottom Rail Extension	PRBS	For 6'0 Wide Units
2	Tandem Roller Kit	RTRK	Kit includes one roller with screws.
3	Tandem Roller Screw	RTRKS	#8 x 1/2" w/#10 Flat Head, Phillips, Self Tapping
4	.375 x .500 Foamseal	PRFS	Black, pre-cut
5	6'8 Jamb Weatherstrip	PRWS	Black C-fold type
6	2'6 Head Weatherstrip	PRWS	Black C-fold type
6	3'0 Head Weatherstrip	PRWS	Black C-fold type
7	2'6 Aluminum Sill Closure	RPSISC	Mill finish
7	3'0 Aluminum Sill Closure	RPSISC	Mill finish
8	5'0 Aluminum Sill	PRASC	For 5'0 Wide Units
8	6'0 Aluminum Sill	PRASC	For 6'0 Wide Units
9	2'6 x 6'8 Panel	PRP	Specify glass type
9	3'0 x 6'8 Panel	PRP	Specify glass type
10	Roller Adjustment Plug	RRAP	2 per pack
11	Sliding Panel Interlock	RSPI	
12	Sliding Panel Interlock Screw	RSPIS	#8 x 3/4" Flat Head, Phillips, Self Tapping
13	Sliding Panel Guide	RSPG	
14	Sliding Panel Guide Screw	RSPGS	#8 x 3/4" Flat Head, Phillips, Self Tapping
15	Panel Bumper Kit	RSBK	Kit includes one bumper with screws
16	Panel Bumper Screw	RPBKS	#10 x 1-1/4" Pan Head, Phillips, Self Tapping
17	Fixed Panel Interlock Weatherstrip	RFPIW	


NOTES: - Unit sizes given are nominal. See back cover to determine your unit size.
 - Standard size/type screws can be purchased from your local hardware store.
 - See page 14 for frame components not shown.
 - See page 15 for hardware components not shown.

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type. **IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR DOOR, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.**

CT = Twinsul Clear, Tempered	CTE = Clear Tempered Low-E Glass
CTO = Obsure Clear, Tempered	CTOE = Obsure Clear Tempered Low-E Glass
BT = Twinsul Bronze Tint Tempered	BTE = Bronze Tempered Low-E Glass
GT = Grey Tint, Tempered	GTE = Grey Tempered Low-E Glass
TGT = Turtle Glass, Tempered	

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.


Prado™ Patio Doors Slider Screen



Part Description		Part Number
1	Screen Latch Hardware Assembly	RSLHA
2	Screen Outside Latch 6 Screen Keeper Kit	
3	Screen Inside Latch Kit	RSLS
3	Screen Latch Screw #6 x 1" Pan Head, Phillips, Self Tapping	
4	Screen Roller Kit	RSRK
5	Screen Roller Screw #8 x 3/4" Pan Head, Phillips, Thread Forming	RSRS
6	Screen Keeper Kit Kit includes Screen Keeper and screws	RSKK
7	Screen Keeper Screw #8 x 5/8" Pan Head, Phillips, Self Tapping	RSKS
8	5'0 Unit Screen Track-Prefinished Aluminum	RST
8	6'0 & 8'11 Unit Screen Track-Prefinished Aluminum	RST
8	8'0 Unit Screen Track-Prefinished Aluminum	RST
8	8'2 Unit Screen Track-Prefinished Aluminum	RST
8	8'9 Unit Screen Track-Prefinished Aluminum	RST
9	Screen Track Screw #6 x 3/8" Pan Head, Phillips, Self Tapping	RSTS
10	Vinyl Weather Seal Top/Bottom *35" * Cut to fit.	36230100


NOTES: - Unit sizes given are nominal. See back cover to determine your unit size.
- Standard size/type screws can be purchased from your local hardware store.

Prado™ Patio Doors Swinging Screen



Part Description		Comments	
1	Active Panel (Screen)	White or Driftwood	
2	Passive Panel (Screen)	White or Driftwood	
3	Z-Bar Hinge Stile (Left)	White or Driftwood	
4	Z-Bar Hinge Stile (Right)	White or Driftwood	
5	Z-Bar Header	White or Driftwood	
6	T-Astragal	White or Driftwood	
7	Panel Sweep	White or Driftwood, (2) required	
Hardware Kit	8	#8 x 1" Panhead Screw	(16) required
	9	#6 x 1/2" Panhead Screw	(4) required
	10	Outside Handle	
	11	Thumb Button	
	12	Spindle	
	13	Spring	
	14	Inside Latch Mechanism	
		Door Closer Set	(1) required
	Slide Bolt Assembly w/ Strike Plate	(2) required	


Prado™ Patio Doors Frames



	Part Description	Part Number
1	Jamb Brickmould	
2	Jamb Brickmould	
3	Head Brickmould	
4	Lock Jamb Assembly	
5	Plain Jamb Assembly	
6	Head Assembly	
7	Active Mull	
8	Sill Assembly	
9	Exterior Aluminum Trim (Duo-Clad Frame only)	


- 2-Panel Swing-In frame shown. French, Slider, Swing-Out similar. (See chart for components)

Prado™ Patio Doors Traditional Style Hardware



Part Description	Part Number
1	
2	
3	
4	#10-32 x 2 1/4" Mounting Screws
5	Cylinder
6	
7	Drive Rod
8	Gasket
9	Deadbolt
10	Latch
11	#8 x 3/4" Screws
12	Strike Reinforcing Plate
13	#8 x 1-1/4" Flat Head Screws
14	#8 x 1-1/4" Flat Head Screws

Slider Hardware






Part Description	Part Number
1	Interior Handle
2	Exterior Handle
3	Cylinder
4	#8 x 2-3/8" Oval Head Machine Screws
5	Gasket
6	Mortise Lock
7	#8 x 1-1/4" Flat Head Screws
8	Keeper
9	#8 x 2-1/2" Pan Head Screws

Prado™ Patio Doors

Sizes





UNIT WIDTH	30-1/2"	33-1/2"	36-1/2"	59-1/4"	71-1/4"
INSIDE WIDTH	29-1/4"	32-1/4"	35-1/4"	57-7/8"	69-7/8"

6'8 UNITS
UNIT HEIGHT: 80-1/4"




UNIT WIDTH	95-1/2"	104-1/2"	97-1/4"	106-1/4"
INSIDE WIDTH	94-1/8"	103-1/8"	95-7/8"	104-7/8"


6'8 UNITS
UNIT HEIGHT: 80-1/4"




1-Panel Swing-In
RHSI shown (LHSI opposite)




1-Panel Swing-Out
LHSO shown (RHSO opposite)




2-Panel Swing-In
XO shown (OX opposite)




2-Panel Swing-Out
XO shown (OX opposite)




3-Panel End Swing Swing-In
XOO RH shown (OOX LH opposite)




3-Panel End Swing Swing-Out
XOO LH shown (OOX RH opposite)




3-Panel Center Swing Swing-In
OXO RH shown (OXO LH opposite)




3-Panel Center Swing Swing-Out
OXO LH shown (OXO RH opposite)




2-Panel Swing-In
XPSI (shown) or PXSII
(P) Passive and (X) Active



2-Panel Swing-Out
PXSO shown (XPSO opposite)
(P) Passive and (X) Active



2-Panel Slider
XO



2-Panel Slider
OX